

A CURTAIN TENSIONER
THAT IS BUILT WITH THE
BEST COMPONENTS
AND IS EFFICIENT
AND EASY TO USE

Tensioner³
Single Handed
Curtainsider Tensioner



TENSIONER³

Fit to both ends of each Flexisider Curtain
for maximum convenience and efficiency



Alloy Housing

Provides a lightweight body that has been designed with extra reinforcing in the high stress areas.

High Tensile Steel Shaft

The Clevis is cut to match the cast alloy base plug in the Structurflex Anodised Aluminium luff groove pole, providing both high strength and ease of use.

Nylatron Bush

Molybdenum disulphide impregnated nylon bush provides a self lubricating bearing.

Alloy Handle

Cast in high tensile alloy provides two bearing surfaces on the nylon bush and retracts to lock away flush with the body.

Release Trigger

This provides a one hand operation by holding the trigger and pulling the handle right back which releases the shaft allowing the curtain to spring out so the pole can be immediately disengaged.

Precision Investment Cast Sprocket And Pawl


Utilises high carbon steel for strength and for wear resistance.

Rolled Threads

All threads are rolled threads which increases the thread strength by 30%.

Patent Numbers


NZ239486 AU665201 UK2258805



Tensioner³ (ACW & CW) Dimensions

	LENGTH	DEPTH	HEIGHT
Small Body	100mm	75mm	65mm
Large Body	140mm	75mm	65mm

Small Body



Large Body

